

Ideal controller for modern seating furniture: CU155+



## Customer benefits

- Small and compact design
- Can be combined with the Okin Powerpack
- Can be combined with all Okin wireless hand-held transmitters (2.4 GHz bidirectional)
- Stylish housing without visible screw connections

## Standard configurations

### Performance data

Controller	2.4 GHz radio bidirectional controller
Connection options	Max. 4 drives
Connecting voltage	29 V DC
Output voltage	29 V DC
Safety	Overload current switch-off
Housing colour	Housing: black RAL 9005

### Additional data


Protection degree	IP20
Protection class	III
Relative air humidity	30 to 75 %
Ambient temperature	+10 to +40 °C
Connecting cable	Attached supply cable
Mounting options	- Mounting plate
Certificates / Approvals	EN55014 R&TTE EN60335

# CU155+



A Phoenix Mecano Brand

Page 3/3 - stand of 09/2020



Note: Responsibility for OKIN products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which OKIN products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern  
Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: [info@okin.de](mailto:info@okin.de) • Internet: <http://www.okin.de>