

The IPROXX 2 Bluetooth® combines robustness and versatility with a sleek, elegant design and the many possibilities offered by a non-contact data interface.

- Colour: Grey RAL 7035
- Keys: Max. 8 keys
- Suitable for up to 4 drives, including reset function, standard-compliant keypad, and smooth surface for easy cleaning
- Equipment options: integrated mechanical or programmable multi-level locking function



Standard configurations

Performance data

Control unit	relay control
--------------	---------------

Components

Indicators	Combined power on / charge indicator
------------	--------------------------------------

Housing colour	Grey RAL 7035
----------------	---------------

Further data

Protection type	max. IPX6
-----------------	-----------

Relative humidity	30% - 75%
-------------------	-----------

Ambient temperature	+10°C - +40°C
---------------------	---------------

Keys	Max. 8 keys
------	-------------

Function LED	yes
--------------	-----

Safety	Single-fault protection
--------	-------------------------

Handset hook	
--------------	--

Extra configurations

Further data

Customer-specific printing	Customized foil design available on request
----------------------------	---

Equipment options	Integrated mechanical or programmable multi-level locking function
-------------------	--


IPROXX 2BT



DEWERT

A Phoenix Mecano Brand

Page 3/3 - stand of 09/2020



Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern

Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@dewert.de • Internet: <http://www.dewert.de>