

Functionality guaranteed

The RECHARGEABLE BATTERY AG7 with proven lead-gel technology ensures the functionality of drives. Thanks to the rechargeable battery, a device can continue to operate during a power failure. The rechargeable battery can be mounted directly to the DUOMAT 7 or alternatively to the AG7 mounting plate at another position. The output voltage is 24 V DC, and the protection class is the maximum IPX6.

Performance and design combined

The accessory has a compact design with a robust housing that is easy to clean. Depending on requirements, the rechargeable battery can be equipped with deep-discharge protection.

Advantages at a glance

- Compact design
- Proven lead-gel technology
- Very robust and durable
- High IP protection class
- Easy to clean

- Output voltage: 24 V DC
- Rechargeable battery type: lead gel
- Protection type: max. IPX6
- Equipment options: deep-discharge protection



RECHARGEABLE BATTERY AG7/AG9



A Phoenix Mecano Brand

Page 2/3 - stand of 09/2020

Standard configurations

Performance data

Output voltage	24 V DC
----------------	---------

Components

Housing colour	light grey RAL 7035
----------------	---------------------

Rechargeable battery type	lead gel
---------------------------	----------

Further data

Protection type	max. IPX6
-----------------	-----------

Relative humidity	30% - 75%
-------------------	-----------

Ambient temperature	+10°C - +40°C
---------------------	---------------

Capacity	1.2 Ah
----------	--------

Assembly options	easily replaceable by means of snap-in device, mounting plate
------------------	---

Extra configurations

Further data

Equipment options	deep-discharge protection
-------------------	---------------------------

Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern

Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@dewert.de • Internet: <http://www.dewert.de>


RECHARGEABLE BATTERY AG7/AG9



DEWERT

A Phoenix Mecano Brand

Page 3/3 - stand of 09/2020



Note: Responsibility for DEWERT products when used for specific applications and for adherence to the appropriate guidelines, standards and laws is borne by the manufacturer of the complete system into which DEWERT products are fitted. We accept no liability for the correctness.

DewertOkin GmbH • Weststraße 1 • 32278 Kirchlengern

Phone: +49 (0)52 23 / 9 79 -0 • Fax: +49 (0)52 23 / 7 51 82 • Email: info@dewert.de • Internet: <http://www.dewert.de>